





The wine-by-the-glass ...

The experience of a journey to discover the best wines, how, when and as much as you want

Why renounce the pleasure of a glass of excellent wine?

A sensorial and cultural experience at any time. The nitrogen systems use a simple, tested and efficient principle.

Normally used by the wine makers, this ensures the perfect preservation of the wine in the opened bottle for about one month after it is uncorked, reducing the oxidation of the wine due to contact with the air.

The market is changing


the wine-by-the-glass trend is revolutionizing the consumer's customs both on the customer and on the dealer side; diWine follows this process, simplifies it and speeds up its evolution.

A unique sensation

diWine makes possible the approach to a huge number of labels, therefore enjoying the discovery of products often not so easy to be experienced, in a pleasant sensorial and cultural experience.

The customer

has the chance to taste different wines per meal, or different wines for each course, or even only one single, but top-quality, glass of wine. In any circumstance a lovely experience.



The dealer

has the chance to offer a unique range, both in quality and volume, of wines by the glass, thus increasing their consumption and diffusion without waste or over pouring.

A cost-effective investment

a different way to personalize your site, to furthermore increase the clientele, an efficient turnover of the stock, a short term return of the investment.

Think big, think to the future.



A plug-and-play system, the only requirement is an electrical plug.

The simplicity of installation and management make diWine system unique:

- No special site arrangement or installation is required.
- Gas cylinder placed on board for a simple and quick replacement (machine designed also for the connection to an existing nytrogen's plant).
- Lighting of the bottles compartment through LED with brightness control.
- Digital display for the management of all parameters of the dispenser.
- Stand-by function for power saving.
- High-efficiency air-conditioning system to ensure the correct temperature of wines and the uniformity of temperature throughout the bottles compartment.
- Easy cleaning and maintenance.
- Availble in 4 standard colors (other colors optional).
- Version with left hand opening available.
- Components 100% certified for food contact.





The new patented project criteria of diWine system make it **easy to manage and reliable to use**, therefore also minimizing the need of technical assistance.

AVAILABLE COLORS











TECHNICAL DATA
dimensions: L 570 · H 830 · D 335 mm
weight: 57 Kg
number of bottles: 4
voltage: 230 volts
max power: 150 W

SILVER

BOURGOGNE

E

WHITE



	diWine features
	installation
	no site adjustment required.
৩	gas
	one litre nitrogen cylinder on board, to be replaced by the user.
S	controlled quality
	the laboratory tests effected ensure the preservation of the original organoleptic features of the wine for about one month after opening the bottle.
S	controlled quantity
	three doses electronically checked, set on customer request (normally 25, 50, 100 ml).
S	controlled temperature
	the climate controlled system (from 4° to 25°) ensures the ideal service temperature of the wine.
S	controlled hygiene
0.	automatic self-cleaning systems of serving parts, patented.
	warranty
	one year from the installation date, with reference to the electronic/mechanic defective components.
<u>.</u>	esclusivity
	on board gas cylinder system patented.
	certification
	CE compliance.
ৎ	Certificate of food contact compliance
\sim	100% manufacture with components tested and suitable for food contact, according to
	the standards UNI EN 1186:2003 (parts from 1 to 15)



diWine "WINE TASTING SYSTEMS" a brand of Novatec S.r.I.

Novatec S.r.l.

Via delle Acque, 6 - 50035 Palazzuolo sul Senio (FI) - Italy Tel. +39.055.8046179 - +39.055.8046419 - Fax +39.055.8046860 www.diwineitaly.it - info@diwineitaly.it